

4204 FIRST AID KIT - 4204 first aid kit

4210 FIRST AID KIT - 4210 first aid kit

4257 FIRST AID KIT - 4257 first aid kit

Honeywell Safety Products USA, INC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

4204, 4210, 4257 First Aid Kit (Neomycin, EW, PVP wipes, alcohol wipes, Burn Sray, Antiseptic Spray, apanal, cherry cough drops- 019721-0010L, 019722-0011L, Z019721-0010L)

Eyesaline

Active ingredient

Sterile Water 99%

Eyesaline

Purpose

Eyewash

Eyesaline

Uses

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

Eyesaline

Warnings

For external use only-

Obtain immediate medical treatment for all open wounds in or near eyes.

To avoid contamination, do not touch tip of container to any surface.

Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

Stop use and ask a doctor if

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Eyesaline

Directions

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Eyesaline**Inactive ingredients**

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Eyesaline**Questions**

1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI 02917

Povidone Iodine Swab**Active ingredient**

Povidone-iodine solution USP, 10% (equivalent to 1% titratable iodine)

Povidone Iodine Swab**Purpose**

First aid antiseptic

Povidone Iodine Swab**Uses**

- first aid to help prevent the risk of infection in minor cuts, scrapes, and burns

Povidone Iodine Swab**Warnings****For external use only****Do not use**

- over large areas of the body
- on individuals who are allergic or sensitive to iodine

Ask a doctor before use if you have

- deep or puncture wounds,
- animal bites
- serious burns

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

- conditions persists or gets worse

- irritation and redness develops

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Povidone Iodine Swab

Directions

Reverse cardboard sleeve, then crush at dot between thumb and forefinger. Allow solution to saturate tip and apply solution to injury.

- clean affected area
- apply to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard swab after single use

Povidone Iodine Swab

Other information

- store at room temperature away from light
- keep from freezing or excessive heat
- do not use if package is torn or open

Povidone Iodine Swab

Inactive ingredients

citric acid, disodium phosphate, nonoxynol-9, sodium hydroxide, water

Povidone Iodine Swab

Questions and comments

1-800-430-5490

Alcohol Wipe

Active ingredient

Isopropyl alcohol 70%

Alcohol Wipe

Purpose

First aid antiseptic

Alcohol Wipe

Uses

- first aid to help prevent infection in minor cuts, scrapes, and burns

Alcohol Wipe

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burn

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and consult a doctor

- if condition persists or gets worse

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Alcohol Wipe***Directions***

- clean the affected area
- apply wipe to affected area 1 to 3 times daily
- may be covered with a sterile bandage
- discard wipe after single use

Alcohol Wipe***Other information***

store at room temperature 15⁰ to 25⁰ C (59⁰ to 77⁰F)

Alcohol Wipe***Inactive ingredient***

water

Alcohol Wipe***Questions***

1-800-430-5490

Aypanal***Active ingredient***

Acetaminophen 325 mg

Aypanal***Purpose***

Pain reliever/ fever reducer

Aypanaly

Uses

- temporarily relieves minor aches and pains due to the common cold and headache - temporarily reduces fever

Keep out of reach of children.

Keep out of reach of children.

Aypanal

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product:

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- If a skin rash occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription).
- If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if

- you are taking the blood thinning drug warfarin

Stop using and ask a doctor if

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

If pregnant or breast-feeding

If pregnant or breast-feeding, ask a health professional before use.

Overdose warning

- In case of accidental overdose, get medical help or contact a Poison Control Center right away.
- Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Aypanal
Directions

do not take more than directed (see overdose warning)

adults and children 12 years of age or older

- take two tablets every 4-6 hours while symptoms last
- do not take more than 12 tablets in 24 hours

children 6 to under 12 years of age

- take 1 tablet every 4-6 hours while symptoms last
- do not take more than 5 tablets in 24 hours

children under 6 years consult a doctor

Aypanal

Other information

- store at room temperature 15⁰ to 30⁰ C (59⁰ - 86⁰ F)
- TAMPER EVIDENT PACKETS- DO NOT USE IF OPEN OR TORN

Aypanal

Inactive ingredients

corn starch, microcrystalline cellulose, povidone, sodium starch glycolate, stearic acid

Aypanal

Questions

1-800-430-5490

Neomycin

Active ingredient

Neomycin sulfate (5 mg equivalent to 3.5 mg Neomycin base)

Neomycin

Purpose

First aid antibiotic

Neomycin

Uses

- first aid to help prevent infection in - minor cuts - scrapes - burns

Do not use

- in the eyes
- over large areas of the body

Neomycin

Warnings

For external use only

Do not use

- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- a rash or other allergic reaction develops
- you need to use longer than 1 week

Stop use and ask a doctor if

- the condition persists or gets worse
- a rash or other allergic reaction develops
- you need to use longer than 1 week

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Neomycin

Direction

- clean the affected area
- apply a small amount of the product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Neomycin

Other information

store at 15⁰ to 25⁰ C (59⁰ to 77⁰ F)

Neomycin

Inactive ingredient

petrolatum

Neomycin

Questions?

1-800-430-5490

Antiseptic Spray

Active ingredient

Benzalkonium chloride 0.13%

Antiseptic Spray

Purpose

First aid antiseptic

Antiseptic Spray

Uses

- first aid to help prevent infection in minor cuts, scrapes and burns

Antiseptic Spray

Warnings

For external use only

Do not use

- in or near the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

- the condition persists or gets worse

Keep out of reach of children

- If swallowed, get medical help or contact a Poison Control Center right away

Antiseptic Spray

Directions

- clean the affected area
- spray a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Antiseptic Spray

Other information

- shake well
- store at room temperature 15⁰-30⁰ C (59⁰-86⁰ F)

Antiseptic Spray

Inactive ingredients

diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, trolamine, water

Antiseptic Spray

Questions

1-800-430-5490

Burn Spray

Active ingredient

Benzethonium chloride 0.2% w/w

Benzocaine 10% w/w

Menthol 0.33% w/w

Burn Spray

Purpose

Benzethonium chloride 0.2% w/w

Benzocaine 10% w/w

Menthol 0.33% w/w

Burn Spray

Uses

for the temporary relief of pain and itching and helps protect against infection in:

- minor cuts and scrapes
- burns
- sunburn
- insect bites
- minor skin irritations

Burn Spray

Warnings

For external use only

Flammable

- keep away from fire or flame
- contents under pressure
- do not puncture or incinerate container
- do not expose to temperatures above 120 0 F

Do not use

- in or near the eyes or other mucous membranes
- in case of serious burns
- in case of deep or puncture wounds
- for prolonged period of time
- on large portion of the body

Stop use and ask a doctor if

- condition worsens or symptoms persist for more than 7 days
- condition clears up and recurs within a few days
- redness, swelling, or irritation occurs

Keep out of the reach of children

- If swallowed, get medical help or contact a Poison Control Center right away.

Burn Spray

Directions

- clean the affected area
- shake can well before using
- hold 4 - 6 inches from surface and spray area until wet
- may be covered with a sterile bandage, if bandaged let dry first
- for adult institutional use only
- not intended for use on children

Burn Spray

Other information

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating or inhaling the contents may be harmful or fatal

Burn Spray

Inactive ingredients

dipropylene glycol, isobutane, n-butane, propane

Cough Drop

Active ingredient (in each drop)

Menthol 7 mg

Cough Drop

Purpose

Cough suppressant /oral anesthetic

Cough Drop

Uses

temporarily relieves:

- cough as may occur with a cold or inhaled irritants
- occasional minor irritation, pain, sore mouth and sore throat

Cough Drop

Warnings

Sore throat warning: if sore throat is severe, lasts for more than 2 days, is accompanied or followed by a fever, headache, rash, swelling, nausea or vomiting, consult a doctor promptly

Ask a doctor before use if you have:

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if

- a persistant cough may be a sign of a serious condition. If cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistant headache.
- irritation, pain, or redness persist or worsen

If pregnant or breast feeding:

- ask a health professional before use
- Keep this and all drugs out of the reach of children

Cough Drop

Directions

- adults and children 2 years of age and over
- dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed
- children under 2 years of age: ask a doctor

Cough Drop

Other information

- gluten free
- 15 calories per cough drop
- store at room temperature
- protect from moisture
- soybean oil used as a processing aid
- do not use if wrapper is open

Cough Drop

Inactive ingredients

eucalyptus oil, FD&C red #40, flavoring, glucose syrup, sucrose, water

Cough Drop

Questions or Comments?

1-800-430-5490

4210

019722-0011L Kit Contents

2 1X3 PLASTIC 100/BOX

1 FINGERTIP "T" WOVEN 40/BOX

1 SWIFT KNUCKLE 40/BX

2 3/4 X 3 WOVEN 100/BOX

3 NEOMYCIN ANTIBIOTIC 10 PER

1 EYE DRESS PKT W/4 ADH STRIPS

3 ALCOHOL PREP PADS 10P

4 PVP IODINE WIPES 10 PER

2 ADHESIVE TAPE W/P 1/2"X 5 YD

1 TWEEZER PLASTICS 4"

1 ADH BAND PLSTC EX-LG 25 PER

1 O/H PUMP ANTISEPTIC 2 OZ ID F
1 O/H PUMP BURN RELIEF 2 OZ ID G
1 FIRST AID GUIDE ASHI
1 TAPE ADHESIVE 1"X 5 YD PLSTC
10 GAUZE CLEAN-WRAP BDGE N/S 2"
10 GAUZE CLEAN-WRAP BDGE N/S 3"
1 BLOODSTOPPER
3 NON-ADHERENT PADS 2"X3" 10'S
1 GZE PADS STERILE 2"X 2" 10'S
1 GZE PADS STERILE 3"X 3" 25'S
1 ELASTIC BANDAGE 3" X 4.5YD
1 CPR FILTERSHIELD 77-100
1 AYPANAL NON-ASP IND 2/ENV 250
1 CHERRY COUGH DROPS 50
2 4OZ BFS EYWASH TRILINGUAL BOTTLE
1 SCISSOR BDGE 4" RED PLS HDL
1 LBL STOCK 6-3/8"X4"
1 LBL STOCK 4"X2-7/8"
1 LABEL NORTH CONTENTS 8X8 ID B
5 PR LRG NITRILE GLVES ZIP BAG
1 KIT STL DELUXE FA CABINET
1 POCKET FA CABINET LARGE
1 SHELF LG FA CABINET
1 LBL CONTENTS ANSI Z308.1-2009 REV B
1 LBL CAB CVR FA LOGO NORTH ID B
8 CORNER STYROFOAM 3X3X3
2 TRI BNDG NON WOVEN 40"X40"X56"
4 COLD PACK UNIT 4"X6" BULK

4257
Z019721-0100L
2 1X3 PLASTIC 100/BOX
1 FINGERTIP "T" WOVEN 40/BOX
1 SWIFT KNUCKLE 40/BX
1 3/4 X 3 WOVEN 100/BOX
2 NEOMYCIN ANTIBIOTIC 10 PER
1 EYE DRESS PKT W/4 ADH STRIPS

3 ALCOHOL PREP PADS 10P
4 PVP IODINE WIPES 10 PER
1 ADHESIVE TAPE W/P 1/2"X 5 YD
1 TWEEZER PLASTICS 4"
1 ADH BAND PLSTC EX-LG 25 PER
1 O/H PUMP ANTISEPTIC 2 OZ ID F
1 O/H PUMP BURN RELIEF 2 OZ ID G
1 FIRST AID GUIDE ASHI
1 TAPE ADHESIVE 1"X 5 YD PLSTC
5 GAUZE CLEAN-WRAP BDGE N/S 2"
5 GAUZE CLEAN-WRAP BDGE N/S 3"
1 BLOODSTOPPER
3 NON-ADHERENT PADS 2"X3" 10'S
1 GZE PADS STERILE 2"X 2" 10'S
1 GZE PADS STERILE 3"X 3" 25'S
1 ELASTIC BANDAGE 3" X 4.5YD
1 CPR FILTERSHIELD 77-100
1 AYPANAL NON-ASP IND 2/ENV 100
1 CHERRY COUGH DROPS 50
1 4OZ BFS EYEWASH TRILINGUAL BOTTLE
1 SCISSOR BDGE 4" RED PLS HDL
1 LBL STOCK 6-3/8"X4"
1 LBL STOCK 4"X2-7/8"
5 PR LRG NITRILE GLVES ZIP BAG
1 KIT STL LARGE FA CABINET
1 LBL CONTENTS ANSI Z308.1-2009 REV B
1 LBL CAB CVR FA LOGO NORTH ID B
2 TRI BNDG NON WOVEN 40"X40"X56"
3 COLD PACK UNIT 4"X6" BULK

Eyes aline
Principal Display Panel

HoneywellTAMPER-EVIDENT CAP.
TAPA CON SELLO DE SEGURIDAD.
BOUCHON INDICATEUR D'INFRACTION.**eyesaline®****LAVAOJOS
EYESALINE****EYESALINE
EYEWASH****LAVAGE
OCULAIRE
EYESALINE**Solución
Isotónico EstérilSterile
Isotonic SolutionLa Solution
Isotonique Stérile**16 fl. oz. (473 mL)****Drug Facts (for USA only)****Active ingredient** Sterile water 99% **Purpose** Eyewash**Uses**

for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.

Warnings

For external use only - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

Do not use

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away

Stop use and consult a doctor if:

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**Directions**

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

Inactive ingredients

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

Questions? Call 1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

LABEL #22-204510 Rev. J
REORDER / NUEVO PEDIDO / REAPROVISIONAMIENTO #22-00054-0000

space for lot code and supplier part number

PEEL / PELAR / PEELER

Datos de medicamento (Para EE.UU. solamente)**Ingrediente Activo** Agua estéril 99%**Propósito** Lavados**Usos**

para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aéros. o agua de cloruro

Advertencias

Para el uso externo sólo - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte.

No se usa

- si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato

Deje de usar y consulte a un médico si:

- experimenta dolor de ojo
- cambio de visión
- rojez continuo o irritación del ojo
- la condición empeora o persiste

Manténgase fuera del alcance de los niños.

En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.

Instrucciones:

- quite los lentes de contacto antes de usar la solución
- tuerza la tapa para quitar
- enjuague el área afectada según se necesite
- controle el chorro haciendo presión en la botella
- si es necesario, sigue enjuagando con un lavajos o ducha de emergencia

Ingredientes inactivos

cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico

¿Preguntas? Llame al 1-800-430-5490

Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Information**Usages**

Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.

Advertissements

Pour usage externe seulement - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-les.

Ne pas utiliser

- si la solución a cambiado de color o si ella es brouillée
- si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin

Cessez d'utiliser la solution et consulter un médecin

- vous ressentez une douleur oculaire
- si votre vision change
- rougeur o irritación persistante des yeux
- condition empire o persiste

Garder hors de la portée des enfants.

En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.


Mode d'emploi

- enlever los verres de contact avant l'utilisation
- dévisser le bouchon pour l'enlever
- rincer la zone touchée selon les besoins
- ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant
- si nécessaire, continuer de rincer avec unesolution de rinçage oculaire d'urgence ou una douche

Ingredíents agua estéril, cloruro de sodio, fosfato dibásico de sodio, fosfato monobásico de sodio**Des questions?** Faites le 1-800-430-5490


Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

**Povidone Iodine Swab
Principal Display Panel**




Alcohol Wipe Principal Display Panel

825362T Rev. A
white printed
Pms 072 blue, Pms 186 red,
Pms 7459 blue and black




Aypanal Principal Display Panel



Neomycin Principal Display Panel

796041-25 Rev A Unit Carton Printing Plate for "C" size carton.



Principal Display Panel

Honeywell  ANTISEPTIC SPRAY <i>Benzalkonium chloride</i> First Aid Antiseptic Net contents 2 fl oz (59 mL) ANSI Z308.1-2003 	<p>Drug Facts</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Active ingredient Benzalkonium chloride 0.13%</td> <td style="width: 50%; text-align: right;">Purpose First aid antiseptic</td> </tr> <tr> <td colspan="2">Uses first aid to help prevent infection in minor cuts, scrapes and burns</td> </tr> <tr> <td colspan="2">Warnings For external use only</td> </tr> <tr> <td colspan="2">Do not use • in or near the eyes • over large areas of the body</td> </tr> <tr> <td colspan="2">Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns</td> </tr> <tr> <td colspan="2">When using this product do not use longer than one week unless directed by a doctor</td> </tr> <tr> <td colspan="2">Stop use and ask a doctor if condition persists or gets worse.</td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <td colspan="2">Directions • clean the affected area • spray a small amount of this product on the area 1 to 3 times daily • may be covered with a sterile bandage • If bandaged, let dry first</td> </tr> <tr> <td colspan="2">Other information • shake well • store at room temperature, 15° to 30°C [59° to 86°F]</td> </tr> <tr> <td colspan="2">Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, tromethamine, water</td> </tr> <tr> <td colspan="2">Questions or comments? 1-800-430-5490</td> </tr> </table>	Active ingredient Benzalkonium chloride 0.13%	Purpose First aid antiseptic	Uses first aid to help prevent infection in minor cuts, scrapes and burns		Warnings For external use only		Do not use • in or near the eyes • over large areas of the body		Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns		When using this product do not use longer than one week unless directed by a doctor		Stop use and ask a doctor if condition persists or gets worse.		Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.		Directions • clean the affected area • spray a small amount of this product on the area 1 to 3 times daily • may be covered with a sterile bandage • If bandaged, let dry first		Other information • shake well • store at room temperature, 15° to 30°C [59° to 86°F]		Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, tromethamine, water		Questions or comments? 1-800-430-5490	
Active ingredient Benzalkonium chloride 0.13%	Purpose First aid antiseptic																								
Uses first aid to help prevent infection in minor cuts, scrapes and burns																									
Warnings For external use only																									
Do not use • in or near the eyes • over large areas of the body																									
Ask a doctor before use if you have • deep or puncture wounds • animal bites • serious burns																									
When using this product do not use longer than one week unless directed by a doctor																									
Stop use and ask a doctor if condition persists or gets worse.																									
Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center right away.																									
Directions • clean the affected area • spray a small amount of this product on the area 1 to 3 times daily • may be covered with a sterile bandage • If bandaged, let dry first																									
Other information • shake well • store at room temperature, 15° to 30°C [59° to 86°F]																									
Inactive ingredients diazolidinyl urea, edetate disodium, glycerin, hypromellose, methylparaben, octoxynol 9, propylene glycol, propylparaben, tromethamine, water																									
Questions or comments? 1-800-430-5490																									

Mfg. for Honeywell Safety Products USA, Inc. Smithfield, RI 02917 032203 Rev. G

Burn Spray Principal Display Panel

SHAKE WELL BEFORE USING

Honeywell

BURN SPRAY

Water soluble
Benzethonium chloride
Topical antiseptic

Benzocaine
Topical anesthetic

Menthol
Topical anesthetic

Provides antiseptic treatment
and helps relieve the pain of minor burns
and sunburn.

CAUTION: FLAMMABLE
Contents under pressure
Read warning on back panel.

NET WT. 3 OZ (85gm.)

47-0306

Cat. No. 201005

DRUG FACTS	
Active ingredients Benzethonium chloride 0.2% w/w. Benzocaine 10% w/w. Menthol .33%	
Purpose Topical antiseptic Topical anesthetic Topical anesthetic	
Uses • for the temporary relief of pain and itching and helps to protect against infection in • minor cuts and scrapes • burns • sunburn • insect bites • minor skin irritations	
Warnings For external use only Flammable • keep away from fire or flame • contents under pressure • do not puncture or incinerate container • do not expose to temperatures above 120°F	
Do not use • in or near eyes or other mucous membranes • in case of serious burns • in case of deep or puncture wounds • for a prolonged period of time • on large portion of the body	
Stop use and ask a doctor if: • conditions worsens or symptoms persist for more than 7 days • condition clears up and recurs within a few days • redness, swelling or irritation occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions • clean the affected area • shake can well before using • hold 4-6 inches from surface and spray area until wet • may be covered with a sterile bandage. If bandaged, let dry first • for adult institutional use only • not intended for use on children	
Other information • avoid inhaling • use only as directed • intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal	
Inactive ingredients dipropylene glycol, isobutane, n-butane, propane	
Questions or comments? 1-800-430-5490	




6 69635 20032 4

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

Honeywell

Cough Drop

Principal Display Panel



**4204 Kit Label
019721-0010L**



Distributed by Honeywell Safety Products USA, Inc., Smithfield, RI 02917

4204 Kit Contnets**019721-0010L**


2 1X3 PLASTIC 100/BOX
1 FINGERTIP "T" WOVEN 40/BOX
1 SWIFT KNUCKLE 40/BX
1 3/4 X 3 WOVEN 100/BOX
2 NEOMYCIN ANTIBIOTIC 10 PER
1 EYE DRESS PKT W/4 ADH STRIPS
3 ALCOHOL PREP PADS 10P
4 PVP IODINE WIPES 10 PER
1 ADHESIVE TAPE W/P 1/2"X 5 YD
1 TWEEZER PLASTICS 4"
1 ADH BAND PLSTC EX-LG 25 PER
1 O/H PUMP ANTISEPTIC 2 OZ ID F
1 O/H PUMP BURN RELIEF 2 OZ ID G
1 FIRST AID GUIDE ASHI
1 TAPE ADHESIVE 1"X 5 YD PLSTC
5 GAUZE CLEAN-WRAP BDGE N/S 2"
5 GAUZE CLEAN-WRAP BDGE N/S 3"
1 BLOODSTOPPER
3 NON-ADHERENT PADS 2"X3" 10'S
1 GZE PADS STERILE 2"X 2" 10'S
1 GZE PADS STERILE 3"X 3" 25'S
1 ELASTIC BANDAGE 3" X 4.5YD
1 CPR FILTERSHIELD 77-100
1 AYPANAL NON-ASP IND 2/ENV 100
1 CHERRY COUGH DROPS 50
1 4OZ BFS EYEWASH TRILINGUAL BOTTLE
1 SCISSOR BDGE 4" RED PLS HDL
1 1 LBL STOCK 6-3/8"X4"
1 LBL STOCK 4"X2-7/8"
1 LABEL NORTH CONTENTS 8X8 ID B
5 PR LRG NITRILE GLVES ZIP BAG
KIT STL LARGE FA CABINET
1 LBL CONTENTS ANSI Z308.1-2009 REV B
1 LBL CAB CVR FA LOGO NORTH ID B
1 BAG ZIPPER POLY 6 X 6 2 MIL

2 TRI BNDG NON WOVEN 40"X40"X56"

3 COLD PACK UNIT 4"X6" BULK

**4210 Kit Label
019722-0011L**

777028B Rev. A
white printed four color process
blue (pms 072C) and red (pms 186C)



**4257 Kit Label
Z019721-0010L**



4204 FIRST AID KIT

4204 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4204
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4204-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL
Part 2	30 POUCH	12 mL
Part 3	40 POUCH	12 mL
Part 4	50 PACKET	100
Part 5	1 BOTTLE, SPRAY	59 mL
Part 6	1 BOTTLE, SPRAY	59 mL
Part 7	20 PACKET	18 g
Part 8	50 POUCH	50

Part 1 of 8

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 2 of 8

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/18/2018	

Part 3 of 8

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 4 of 8

AYPANAL NON-ASPIRIN

acetaminophen tablet

Product Information

Item Code (Source)	NDC:0498-2001
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10 mm
Flavor		Imprint Code	circle;U
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	04/10/2012	

Part 5 of 8

BURN RELIEF

lidocaine hydrochloride spray

Product Information

Item Code (Source)	NDC:0498-0221
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	24.64 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
EDETA TE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TEA TREE OIL (UNII: VIF565UC2G)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
DIAZOLIDINYLMUREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0221-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/18/2018	

Part 6 of 8

ANTISEPTIC

benzalkonium chloride spray

Product Information

Item Code (Source)	NDC:0498-0402
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL 9 (UNII: 7JPC6Y25QS)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIAZOLIDINYLMUREA (UNII: H5RIZ3MPW4)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
EDETADE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYLPARABEN (UNII: A2I8C7H19T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0402-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	09/18/2018	

Part 7 of 8

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source) NDC:0498-0730

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:II6QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/31/2010	

Part 8 of 8

COUGH DROP

menthol lozenge

Product Information

Item Code (Source) NDC:0498-1120

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	7 mg

Inactive Ingredients

Ingredient Name	Strength
EUCALYPTUS OIL (UNII: 2R040NI662)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

WATER (UNII: 059QF0KO0R)

CORN SYRUP (UNII: 9G5L16BK6N)

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	red (red)	Score	no score
Shape	OVAL	Size	22mm
Flavor	CHERRY(cherry)	Imprint Code	B
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-1120-00	1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/18/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

4210 FIRST AID KIT

4210 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4210

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4210-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 BOTTLE	236 mL
Part 2	30 POUCH	12 mL
Part 3	40 POUCH	12 mL
Part 4	125 PACKET	250
Part 5	1 BOTTLE, SPRAY	59 mL

Part 6	1 BOTTLE, SPRAY	59 mL
Part 7	30 PACKET	27 g
Part 8	50 POUCH	50

Part 1 of 8

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 2 of 8

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:0498-0143
---------------------------	---------------

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/18/2018	

Part 3 of 8**PVP IODINE WIPE**

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 4 of 8

AYPANAL NON-ASPIRIN

acetaminophen tablet

Product Information

Item Code (Source)	NDC:0498-2001
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10 mm
Flavor		Imprint Code	circle;U
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	04/10/2012	

Part 5 of 8

BURN RELIEF

lidocaine hydrochloride spray

Product Information

Item Code (Source)	NDC:0498-0221
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDRO CHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	24.64 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
EDETA DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TEA TREE OIL (UNII: VIF565UC2G)	
METHYLPARABEN (UNII: A218C7H19T)	
DIAZOLIDINYLMUREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0221-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	09/18/2018	

Part 6 of 8

ANTISEPTIC

benzalkonium chloride spray

Product Information

Item Code (Source)	NDC:0498-0402
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL 9 (UNII: 7JPC6Y25QS)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
EDETA TE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0402-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	09/18/2018	

Part 7 of 8

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/31/2010	

Part 8 of 8

COUGH DROP

menthol lozenge

Product Information

Item Code (Source)	NDC:0498-1120
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	7 mg

Inactive Ingredients

Ingredient Name	Strength
EUCALYPTUS OIL (UNII: 2R04ONI662)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
WATER (UNII: 059QF0KO0R)	
CORN SYRUP (UNII: 9G5L16BK6N)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	red (red)	Score	no score
Shape	OVAL	Size	22mm
Flavor	CHERRY (cherry)	Imprint Code	B
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-1120-00	1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/18/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

4257 FIRST AID KIT

4257 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4257
--------------	----------------	--------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4257-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 BOTTLE	118 mL

Part 2	30 POUCH	12 mL
Part 3	40 POUCH	12 mL
Part 4	50 PACKET	100
Part 5	1 BOTTLE, SPRAY	59 mL
Part 6	1 BOTTLE, SPRAY	59 mL
Part 7	20 PACKET	18 g
Part 8	50 POUCH	50

Part 1 of 8

EYESALINE EMERGENCY EYEWASH

purified water liquid

Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

Part 2 of 8

ALCOHOL WIPE

isopropyl alcohol swab

Product Information

Item Code (Source)	NDC:0498-0143
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	0.7 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0143-04	0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/18/2018	

Part 3 of 8

PVP IODINE WIPE

povidone-iodine 10% swab

Product Information

Item Code (Source)	NDC:0498-0121
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength

NONOXYNOL-9 (UNII: 48Q180SH9T)

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0121-00	0.3 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 4 of 8

AYPANAL NON-ASPIRIN

acetaminophen tablet

Product Information

Item Code (Source)	NDC:0498-2001		
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINO PHEN (UNII: 362O9ITL9D) (ACETAMINO PHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10 mm
Flavor		Imprint Code	circle;U
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	04/10/2012	

Part 5 of 8

BURN RELIEF

lidocaine hydrochloride spray

Product Information

Item Code (Source)	NDC:0498-0221
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	24.64 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
EDETA TE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TEA TREE OIL (UNII: VIF565UC2G)	
METHYLPARABEN (UNII: A2I8C7H9T)	
DIAZOLIDINYLMUREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0221-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/18/2018	

Part 6 of 8

ANTISEPTIC

benzalkonium chloride spray

Product Information

Item Code (Source)	NDC:0498-0402
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
OCTOXYNOL 9 (UNII: 7JPC6Y25QS)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
EDETA TE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
METHYLPARABEN (UNII: A218C7H19T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0402-59	59 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	09/18/2018	

Part 7 of 8

NEOMYCIN

antibiotic ointment

Product Information

Item Code (Source)	NDC:0498-0730
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0730-01	0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	03/31/2010	

Part 8 of 8

COUGH DROP

menthol lozenge

Product Information

Item Code (Source)	NDC:0498-1120
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	7 mg

Inactive Ingredients

Ingredient Name	Strength
EUCALYPTUS OIL (UNII: 2R04ONI662)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
WATER (UNII: 059QF0KO0R)	
CORN SYRUP (UNII: 9G5L16BK6N)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	red (red)	Score	no score
Shape	OVAL	Size	22mm
Flavor	CHERRY (cherry)	Imprint Code	B
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-1120-00	1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/18/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (079287321)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco		002149136	manufacture(0498-1120)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4204, 0498-4210, 0498-4257)

Establishment

Name	Address	ID/FEI	Business Operations
Ultra Seal Corporation		085752004	manufacture(0498-2001)

Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0730, 0498-0402, 0498-0221)

Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0100)

Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0143)

Establishment

Name	Address	ID/FEI	Business Operations
Sion Biotech Medical		532775194	manufacture(0498-0121)

Revised: 4/2019

Honeywell Safety Products USA, INC